

Trade Name: ASTRO AluSlide Finger Guard Aluminium Finger Guard for Doors

Durable all Aluminium construction for longest working life.

Fit-for-purpose in severe duty environments such as schools and hospitals.


Easy wipe clean surface to combat Healthcare Associated Infections (HCAI)

Better rigidity and impact resistance than plastic based guards.

Low maintenance needs

Retrofits to existing doors

Quick Installation with normal hand tools.



The finger guard in action.

Description

AluSlide is a heavy duty finger guard for doors in high traffic areas.

The all aluminium construction makes this guard suitable for situations where plastic types will prove uneconomical in the longer term.

In heavy duty environments plastic guards may need replacing within 6 - 24 months of installation whereas this guard will perform as intended for years.



AluSlide finger guards.

The smooth surface design makes for easy wipe-down cleaning.

The rigidity of the guard prevents it from deflecting even under persistent finger pressure.



The door surface material must be able to accept 25mm No. 8 screws

The main body of the finger guard is fixed to the door frame at one side and the other side slides across two runner plates fixed to the doors.

Opening angle up to 100°. Suitable for single swing doors up to 54mm thick.



Comes complete with fitting kit and instructions.

Availability

Lengths : 1800 mm and 1925mm stock sizes.

Colours: Anodised Aluminium finish.

Available to order in any quantity.

RAL colours are available subject to minimum order quantity - please ask.

To Order & Specify

Item	Length	Colour	Product Code
Astro AluSlide Finger Guard	1800mm	Anodised Aluminium	AFFGALU
Astro AluSlide Finger Guard	1925mm	Anodised Aluminium	AFFGALUX

Please quote- Quantity / Trade name / Size / Product Ref
Typical wording- 10 / ASTRO Aluslide Finger Guard / 1800 / AFFGALU

Health and Safety

The product does not present any known health hazards during or after installation. Normal good industrial and personal hygiene practices should be observed.

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

acoustic barriers batt canopies clamps collars covers foams
grilles hoods **intumescent** letterboxes
mastic mortar pads passive pillows
protection putty seals sleeves smoke seals
smokestop capit wraps  **ASTRO**flame®

Astroflame (Fire Seals) Ltd. Intumescent House
Unit 8, The IO Centre, Stephenson Road, Segensworth
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482
(01329 844500)

fax 0800 023 2483
(01329 844600)

intl
tel +44 1329 844500

fax +44 1329 844600

email sales@astroflame.com

[Homepage.](#)