

Trade Name: ASTRO WINDOW RESTRICTOR

Cable Window Restrictor

Locking cable window restrictors enable natural ventilation without introducing safety / security risks for children.

Designed to meet HSE recommendations for Window Restrictors.

Exceeds strength requirements of EN 16281 (consumer fitted child resistant locking devices for windows and balcony doors).

Installs to PVC, aluminium, wooden and metal profile windows and doors.

Window can be fully opened by unlocking the restrictor cable.

Resistant to oxidation and corrosion.

UV and MRSA resistant plastic coatings for improved performance.

White or Brown finish.

Supplied as a kit with all fittings and instructions.



Description

A window restrictor protects babies and children from accidental falls via windows or balcony doors opened to allow natural ventilation.

It also acts as a security measure to deter opportunist intruders and to restrict what can be passed via the window / door gap.

This model can be used on all types of windows and doors including uPVC, aluminium, wooden and metal profiles.

The locked cable restricts window opening to under 100mm but, when unlocked, the window can be fully opened making this restrictor suitable for use on doors and windows that may be used for fire evacuation purposes.

The locked restrictor withstands forces over 100kg (220 lbs. / 15 stone / 980Nm): the industry standard is 50kg. It exceeds the strength requirements of EN 16281 - consumer fitted child resistant locking devices for windows and balcony doors.

As well as meeting HSE recommendations for window restrictor design this restrictor incorporates UV and corrosion resistant materials for a long life and anti-MRSA additives for maximum hygiene.

It is robust, durable and easy to fit and supplied with all required fittings plus instructions.

Availability

Available in either Brown or White

Item	Dimensions	Colour	Product Ref
Window Restrictor Kit	100mm Cable	Brown	AFWRBRN
Window Restrictor Kit	100mm Cable	White	AFWRWHT

Packed - Individual bubble pack with all fittings:

- 4x Self-drilling screws,
- 1x Steel cable,
- 1x Locking system with plastic cover,
- 1x Key.

To Order & Specify

Please quote- Quantity / Trade name / Product Ref

Typical wording- 10 / Astro Window Restrictors / AFWRWHT

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

Astroflame (Fire Seals) Ltd. Intumescent House
Unit 8, The IO Centre, Stephenson Road, Segensworth
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482
(01329 844500)

fax 0800 023 2483
(01329 844600)

fax +44 1329 844600

intl
tel +44 1329 844500

email sales@astroflame.com

[Homepage.](#)