



## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY.

1.1 CHEMICAL PRODUCT. ASTROflame Intumescent Pipe Collar. (**ASTRO-COLLAR**)

1.2 APPLICATION. Expands when exposed to heat to fill the void left by a softening plastic pipe. used mainly in fire protection as a fire stopper.

1.3 COMPANY IDENTIFICATION. **ASTROflame (Fire Seals) Ltd.**

Astroflame (Fire Seals) Ltd.  
Intumescent House  
Unit 8 The IO Centre  
Stephenson Road  
Segensworth  
FAREHAM  
ENGLAND PO15 5RU

Tel: 0800 023 2482 Fax:0800 023 2483  
International - Tel: +44 1329 844 500 Fax: +44 1329 844 600  
eMail: sales@astroflame.com

1.4 EMERGENCY TELEPHONE NUMBER. 0800 023 2482

## 2. COMPOSITION / INFORMATION ON INGREDIENTS.

2.1 CHEMICAL DESCRIPTION.

Not Applicable.

2.2 HAZARDOUS INGREDIENTS.

Not Applicable.

## 3. HAZARD IDENTIFICATION.

Not Applicable.

## 4. FIRST AID MEASURES.

4.1 EYE CONTACT.

Not Applicable.

4.2 SKIN CONTACT.

Not Applicable.

4.3 INGESTION.

Not Applicable.

4.4 INHALATION.

Not Applicable.

#### **5. FIRE FIGHTING MEASURES.**

##### **5.1 EXTINGUISHING MEDIA.**

Is not flammable therefore not applicable.

##### **5.2 FIRE AND EXPLOSION HAZARDS.**

Not applicable.

##### **5.3. PROTECTION MEASURES.**

Not applicable.

#### **6. ACCIDENTAL RELEASE MEASURES.**

##### **6.1 PERSONAL PREAUTIONS.**

Not applicable.

##### **6.2 ENVIRONMENTAL PRECAUTIONS.**

Not applicable.

##### **6.3 CLEANING UP**

Not applicable.

#### **7. STORAGE AND HANDLING**

##### **7.1 STORAGE.**

The product is not affected by outdoor environment. However, for long term storage it is recommended that it should be stored indoors.

##### **7.2 RECOMMENDED SHELF LIFE.**

Can be indefinite but 2 years (if kept dry) is a normal accepted limit.

##### **7.3 HANDLING.**

Regarding installation of the product, reference should be made to the installation instructions.

#### **8. EXPOSURE CONTROLS / PERSONAL PROTECTION.**

##### **8.1 OCCUPATIONAL EXPOSURE LIMITS.**

Not applicable.

##### **8.2 ENGINEERING MEASURES.**

Not applicable.

##### **8.3 PERSONAL PROTECTIVE EQUIPMENT.**

Overalls, Gloves, Goggles and Respiratory Devices.

#### **9. PHYSICAL / CHEMICAL PROPERTIES.**

9.1 APPEARANCE. N/A

9.2 ODOUR. N/A

9.3 PH. N/A

9.4 VISCOSITY. N/A

9.5 FREEZING POINT. N/A

9.6 FREEZE THAW RECOVERY. N/A

9.7 BOILING POINT. N/A

9.8 MELTING POINT. N/A

9.9 FLASH POINT. N/A

9.10 AUTO-FLAMMABILITY. N/A

9.11 EXPLOSIVE PROPERTIES N/A

9.12 VAPOUR PRESSURE. N/A

9.13 VAPOUR DENSITY. N/A

9.14 RELATIVE DENSITY. N/A

9.15 SOLUBILITY. N/A

9.16 PARTITION COEFFICIENT. N/A

## **10. STABILITY AND REACTIVITY.**

10.1 STABILITY.

Not Applicable.

10.2 CONDITIONS TO AVOID.

Not Applicable.

10.3 MATERIALS TO AVOID.

Not Applicable.

10.4 RECOMMENDED MATERIALS FOR EQUIPMENT.

Not Applicable.

10.5 HAZARDOUS DECOMPOSITION PRODUCTS.

Not Applicable.

## **11. TOXICOLOGICAL INFORMATION.**

11.1 SHORT TERM EFFECTS.

EYE CONTACT. Not Applicable.

SKIN CONTACT. Not Applicable.

INGESTION. Not Applicable.

INHALATION. Not Applicable.

11.2 CHRONIC EFFECTS Not Applicable.

## 12. ECOLOGICAL INFORMATION.

Not Applicable.

## 13. DISPOSAL CONSIDERATIONS.

Any waste is considered non-hazardous and therefore it can be incinerated in a suitable facility or disposed of on an approved land fill site, provided the Local Regulations are observed.

## 14. TRANSPORT INFORMATION.

14.1 PACKAGING. No special precautions are necessary, it is, however, recommended that it is stored in a dry place away from foodstuffs

14.2 FREIGHT CLASSIFICATION.

Not Applicable.

## 15. REGULATORY INFORMATION.

15.1 C.P.L CLASSIFICATION. Not Applicable.

HAZARD PICTOGRAM. Not Applicable.

RISK PHRASES. Not Applicable.

SAFETY PHRASES. Not Applicable.

## 16. OTHER INFORMATION.

The information in this publication is accurate to the best of the knowledge of **ASTROflame (FireSeals) Ltd.**

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

Astroflame (Fire Seals) Ltd. Intumescent House  
Unit 8, The IO Centre, Stephenson Road, Segensworth  
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482  
(01329 844500)

fax 0800 023 2483  
(01329 844600)

intl  
tel +44 1329 844500

fax +44 1329 844600

email [sales@astroflame.com](mailto:sales@astroflame.com)