

Trade Name: Astro HS Door Viewer

Fire Rated, High Security, Door Viewer

High Security Door Viewer

Fire Rated for 60 minutes.

Suits 35mm - 62mm thickness doors

Person viewing can be seated or standing.

Prism system permits viewer to be up to 2 metres away from the door.

180° external viewing area.

Antique Gold or Silver Finish in plastic.



Description

A door viewer with extra security features and designed for a wider range of users than standard door viewers.


The special prism optics built into this secure door viewer allow the viewer to be stood well back from the door and provide other special features:

Whoever is on the other side of the door can not see inside / view movement

The person viewing can be up to 2 metres back from the door and still see who is outside over a viewing angle of up to 180°

High or Low viewing - the viewer can be standing or seated. The lower viewing option is well suited to wheelchair users or children.





Offering 180 degree view and made from quality plastics.

Fire protection is by an intumescent strip, rated for 60 minutes fire resistance.

Conforms to DHF TS02 Specification

Availability

Sold in singles in either Antique Gold (AFDV38G) or Silver (AFDV38S)

To Order & Specify

Please Quote- Quantity / Product Ref / Finish

Typical Wording

2 no / AFDV38G / Gold

2 no / AFDV38S / Silver

Test and Approvals

DHF TS02 (Door Hardware Federation Test Standard 02)

Health and Safety

No special requirements.

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

Astroflame (Fire Seals) Ltd. Intumescent House
Unit 8, The IO Centre, Stephenson Road, Segensworth
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482
(01329 844500)

fax 0800 023 2483
(01329 844600)

intl
tel +44 1329 844500

fax +44 1329 844600

email sales@astroflame.com

[Homepage.](#)