



- DOOR PROTECTION
- FINGER PROTECTION
- LIGHTING PROTECTION
- FIRESTOP PRODUCTS
- MASTICS AND FOAMS
- DRAUGHT PROOFING
- ACOUSTIC SEALS
- DISABLED ACCESS
- ANTI-GRAFFITI
- FIRE PROOF PAINTS



ASTROflameTM

MANUFACTURERS OF PASSIVE FIRE STOP PRODUCTS

Fire Proof Paints


Astroflame stock a range of protective intumescent paints & coatings, for steel, timber, plaster and brick and a range of flame retardant paint finishes to decorate, protect and complete fire protection systems.

TRADE NAME: ASTRO ITC PAINT

Intumescent Paint for Timber

Class 1 & Class 0 Intumescent Paint. BS476 Part 7: Class 1 surface spread of flame. BS476 Part 6: Fire propagation. Class 0. Brush, roller or spray application.

Intumescent paint for bare or previously painted timber and timber derivative surfaces where surface spread of flame or fire propagation need to be controlled. The paint contains intumescent compounds, intumescent paint resin binders and high opacity pigments. When exposed to fire the paint expands to create a fire protective barrier, insulating the timber surfaces from heat and oxygen. ASTRO ITC Paint is available in 5 kilo and 20 kilo containers. It can be overcoated with our flame retardant paint - available in BS4800, RAL and metallic colours and a range of finishes.




TRADE NAME: ASTRO IWC PAINT

Intumescent Paint for Walls & Ceilings

BS476 Part 7: Class 1 surface spread of flame. BS476 Part 6: Fire propagation. Designated Class 0 in accordance with U.K. Building Regulations

Astroflame IWC is an intumescent undercoat for application to previously painted plaster, Artex, board, brick and concrete walls and ceilings. It is used to upgrade walls and ceilings coated with multi-layered paint films to Class 0. Overcoating with Astroflame FP flame retardant paint insulates old paint films from fire, controlling the spread of flames along walls and ceilings. In a fire thick layers of old paint tend to delaminate rapidly catching and spreading fire around a building. In extreme cases a lethal "flash-over" fireball effect is created. The resultant risk to life and property can be greatly reduced at minimum cost using a combination of Astroflame IWC paint, an insulating "intumescent" barrier coating, and Astroflame FP flame retardant paint. When exposed to a fire Astroflame flame retardant paint releases a flame extinguishing gas which instantly protects the surface.

Simultaneously heat activates Astroflame IWC intumescent coating underneath causing it to expand and create a fire protective barrier, insulating old paint films from heat and oxygen. Astroflame IWC Paint is available in 5 kilo and 20 kilo containers. It can be overcoated with our flame retardant paint - available in BS4800, RAL and metallic colours and a range of finishes.



TRADE NAME: ASTRO FR PAINT

Flame Retardant Paint

Fire proof paints BS476 rated. BS476 Part 7: Class 1 surface spread of flame. BS476 Part 6: Fire propagation. Designated Class 0 in accordance with U.K. Building Regulations. Gloss, Eggshell, Matt & Silk finishes. Brush, roller or spray application

This paint is for use as either a decorative finish over our intumescent coatings or can be used alone as a decorative topcoat where that is deemed to provide adequate fire protection or on surfaces with a non-combustible performance currently maintained with flame retardant paints. Suitable for use direct to bare or sound previously painted non-combustible walls and ceilings. Fire proof paint is available in several finishes and BS4800, BS 381 Cand RAL colour ranges in 2.5 litre and 5 litre containers.




TRADE NAME: ASTRO IF VARNISH

Intumescent Fire Varnish

BS476 Part 7: Class 1 surface spread of flame. BS476 Part 6: Fire propagation. Designated Class 0 in accordance with U.K. Building Regulations. Water based clear Intumescent with White Spirit based decorative overcoat in Gloss, Satin or Matt finishes. Brush, roller or spray application.

When exposed to a fire Astroflame Intumescent Fire Varnish expands to create a fire protective barrier, insulating the timber surfaces from heat and oxygen. Astroflame Intumescent Fire Varnish is an exceptionally clear lacquer for decorative fire protection of prepared timber and timber derivative surfaces. Overcoated with ASTRO FVO, its special formula provides a hard, durable finish suitable for panelling, boarding, furniture etc. For internal and external use on bare or previously varnished surfaces.

A sealer coat/overcoat is also available in Gloss, Satin or Matt finishes. For humid areas apply Astroflame Fire Varnish Gloss Overcoat (ASTRO FVO) over the Astroflame Fire Varnish (ASTRO IFV). Astroflame Fire Varnish ASTRO IFV is available in gloss, satin and matt in 2.5 and 5 Kilo tins. The sealer coat ASTRO FVO is available in 2.5 litre and 5 litre containers.




TRADE NAME: ASTRO ISS PAINT

Intumescent Paint for Structural Steel & Cast Iron

Conforms to BS476 Part 21: Fire resistance for load bearing elements of structure. Rated for 30, 60, 90 and 120 minutes. Brush, roller or airless spray application.

ASTRO ISS Paint is an intumescent coating for steel, a thin decorative fireproof paint system providing fire resistance to structural steel and cast iron. Heat from a fire triggers a catalytic reaction causing intumescence (expansion) of an insulating char layer up to 50 times the paint film thickness. This char keeps the steel below critical temperature to maintain the structural stability of the building.

Fire resistance of ½ hour and 1 hour can be achieved with a single applications of ASTRO ISS Paint. 1½ hour fire resistant can be achieved with two coats of ASTRO ISS Paint. A range of hard, high quality, weather resistant decorative finishes matches the decor, architectural or historic features of a building while helping to make it a safer structure. Available in BS4800, RAL and metallic colours and a non decorative finish for unexposed areas. ASTRO ISS Paint is available in 5 kilo and 20 kilo containers. ASTRO FR PAINT (flame retardant topcoat finish) is available in 2.5 and 5 Litre containers



TRADE NAME: ASTRO HBP PRIMER

High Build Primer

Compatible with intumescent paint. Solvent or water based options. Brush, roller or spray.

A High Build Quick Drying corrosion resistant metal primer for structural steel and cast iron. Contains high durability resin binders, light fast

pigments and a high concentration of zinc phosphate. Compatible with ASTRO ISS Paint and most other intumescent paint systems, epoxy and conventional paints.

May be overcoated with our intumescent paint systems as well as epoxy, conventional gloss, eggshell, acrylic and vinyl paint finishes. ASTRO HBP Primer is available in 2.5 litre and 5 litre containers and in Red, White or Grey.

AUSTRALIA - australia@astroflame.com

BRAZIL - brazil@astroflame.com

CHILE - chile@astroflame.com

CHINA - china@astroflame.com

CYPRUS - cyprus@astroflame.com

DUBAI - dubai@astroflame.com

EGYPT - egypt@astroflame.com

ESTONIA - estonia@astroflame.com

FINLAND - finland@astroflame.com

FRANCE - france@astroflame.com

HOLLAND - holland@astroflame.com

HONG KONG - hongkong@astroflame.com

ICELAND - iceland@astroflame.com

INDIA - india@astroflame.com

ITALY - italy@astroflame.com

LATVIA - latvia@astroflame.com

LITHUANIA - lithuania@astroflame.com

MALAYSIA - malaysia@astroflame.com

MALTA - malta@astroflame.com

NORWAY - norway@astroflame.com

PORTUGAL - portugal@astroflame.com

RUSSIA - russia@astroflame.com

SINGAPORE - singapore@astroflame.com

SOUTH AFRICA - southafrica@astroflame.com

SPAIN - spain@astroflame.com

SWEDEN - sweden@astroflame.com

TAIWAN - taiwan@astroflame.com

THAILAND - thailand@astroflame.com

TURKEY - turkey@astroflame.com

UAE - uae@astroflame.com

USA - usa@astroflame.com

For Passive Fire Protection *think...*



Intumescent
Acoustic
Downlighter
Cover



Fire Rated
Luminaire
Canopy



Intumescent
Pipe Wrap



Thermal Fire
Pipe Sleeve



Intumescent
Duct Wrap



Acoustic
Vent Sleeve



Astro
Quad Seal



Fire Trunk
Sleeve



Intumescent
Expansion
Joint Seal



Fire Rated
Acoustic
Foam



Intumescent
Pipe Collar



Telescopic
Letterbox
System



Intumescent
Pillow



Intumescent
Fire &
Acoustic
Socket Box



Intumescent
Clamps -
External



Fire Batt &
Coating

Contact us today for the latest brochure
0800 023 2482

ASTROflameTM

MANUFACTURERS OF PASSIVE FIRE STOP PRODUCTS

UK OFFICE

Astroflame Fireseals Ltd, Unit 8, The I.O. Centre
Stephenson Road, Segensworth, Fareham, England PO15 5RU

T 0800 023 2482 (01329 844500) Tel Intl +44 1329 844500

F 0800 023 2483 (01329 844600) Fax Intl +44 1329 844600

E sales@astroflame.com

www.astroflame.com www.astrodraft.com