

Intumescent Fire Rated Telescopic Letterbox System

Trade Names:

Astro Eco Telescopic Letter Box FX (Fire & Smoke)



Tested to BS 476 PART 22 & 31.1

30 minutes Fire & Smoke rating

Fully sealed back plate

Fully sealed letter plate flaps

Intumescent fire liner

**Adjustable door thickness from
40-65mm**

**Supplied complete with internal flap
and aperture liner**

Choice of letter plate finish

Integral sound dampening bumpers

Description

The Astroflame telescopic letter box system range is specially designed to increase the safety and security of occupants against fire

The range includes models which are fire & smoke rated for 30 minutes and are particularly suitable for multiple occupancy residential buildings.

The standard size our most popular 272mm x 70mm comes as a 30 minute rated telescopic intumescent letterbox system with a black frame and available in Satin Nickel, Satin Aluminum, Polished Brass, Polished Chrome, Polished Aluminum or Gold Anodised letter plate flaps.

Cut out required on this size is 235mm x 50mm. Our larger commercial size of 292mm x 76mm comes as a 30 minute rated telescopic intumescent letterbox system with a black frame and available in Satin Nickel, Satin Aluminum, Polished Brass or Polished Chrome letter plate flaps. Cut out required on the commercial range is size is 274mm x 57mm

The systems are fitted with an intumescent liner around the telescopic sleeve section of the letterplate. In the event of a fire the intumescent liner expands to seal the letterbox aperture and retains the fire integrity of the door.

Suitable and tested for use up to 1050mm from floor level and adjustable to suit door thicknesses from 40mm – 65mm. Smoke Tested to BS 476 Part 31.1 with a fully sealed back plate and letter plate flaps there is no need for an integral brush seal.

For acoustic requirements please refer to our other

Availability

Availability for the Astroflame range of Intumescent Fire Rated Telescopic Letter Box FX Systems:
Intumescent Fire Rated Telescopic Letterbox System FX

Intumescent Telescopic Letterbox FX Range

Product Ref	Description	Dimensions	Colour
AFTLBFX/30SAA	30 Minute Fire / Smoke	272x70mm	Satin Anodised Aluminium
AFTLBFX/30PB	30 Minute Fire / Smoke	272x70mm	Polished Brass
AFTLBFX/30PC	30 Minute Fire / Smoke	272x70mm	Polished Chrome
AFTLBFX/30SN	30 Minute Fire / Smoke	272x70mm	Satin Nickel
AFTLBFX/30PA	30 Minute Fire / Smoke	272x70mm	Polished Aluminium
AFTLBFX/30GA	30 Minute Fire / Smoke	272x70mm	Gold Anodised
AFTLBFXC/30SAA	30 Minute Fire / Smoke	292mmx76mm	Satin Anodised Aluminium
AFTLBFXC/30PB	30 Minute Fire / Smoke	292mmx76mm	Polished Brass
AFTLBFXC/30PC	30 Minute Fire / Smoke	292mmx76mm	Polished Chrome
AFTLBFXC/30SN	30 Minute Fire / Smoke	292mmx76mm	Satin Nickel

To Order & Specify

Please quote- Quantity / Trade name / Product Ref / Rating / Colour

For example:-

12no / ASTRO ECO TELESCOPIC LETTER BOX FX / AFTLBFX/30SAA / 30 mins / SAA
18no / ASTRO ECO TELESCOPIC LETTER BOX FX / AFTLBFX/30PC / 30 mins / Polished
Chrome

Certification

Fire Tested for 30 minutes to BS 476 Part22 & 31.1

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

Astroflame (Fire Seals) Ltd. Intumescent House
Unit 8, The IO Centre, Stephenson Road, Segensworth
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482
(01329 844500)

fax 0800 023 2483
(01329 844600)

intl
tel +44 1329 844500

fax +44 1329 844600

email