


# Material Safety Data - Fire Rated Luminaire Canopy

---



## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY.

---

**CHEMICAL PRODUCT Trade Name: ASTRO LUMI CANOPY**

REFRACTORY PRODUCT FOR FIRE PROTECTION OF LIGHTING

COMPANY IDENTIFICATION. ASTROFLAME (Fire Seals) Ltd.

Astroflame (Fire Seals) Ltd.  
Intumescent House  
Unit 8 The IO Centre  
Stephenson Road  
Segensworth  
FAREHAM  
ENGLAND PO15 5RU

Tel: 0800 023 2482 Fax:0800 023 2483  
International - Tel: +44 1329 844 500 Fax: +44 1329 844 600  
eMail: sales@astroflame.com

EMERGENCY TELEPHONE NUMBER. 0800 023 2482

## 2. COMPOSITION / INFORMATION ON INGREDIENTS.

---

### 2.1 CHEMICAL DESCRIPTION.

These products are classified as low hazard.

## 3. HAZARD IDENTIFICATION.

---

### 3.1 COMPOSITION/INFORMATION ON INGREDIENTS

The products covered by this data sheet are based on continuous filament fibres made from **Boro-Silicate E Glass (CAS-65997-17-3)**. The filament diameters are uniform and are well above the maximum size considered respirable (approx. 3 micron). They will not sub-divide into fibrils of smaller diameter. The fibres contain small amounts of complex organic surface dressings (e.g. starch based and PVA compounds). The fabrics are treated with a Firefly™ complex, coloured pigment and binder.

## 4. FIRST AID MEASURES.

---

#### 4.1 EYE CONTACT.

Irrigate eyes if affected by entry of any material. Obtain medical advice if irritation persists.

#### 4.2 SKIN CONTACT.

In the unlikely event of skin irritation wash affected part with mild soap and water. If irritation persists, obtain medical advice.

#### 4.3 INHALATION.

In the unlikely event of excessive inhalation of dust, remove the individual to the fresh air. Obtain medical advice.

### 5. FIRE FIGHTING MEASURES.

---

#### 5.1 EXTINGUISHING MEDIA.

Use that appropriate to the surrounding fire.

#### 5.2 FIRE AND EXPLOSION HAZARDS.

The materials will not support combustion.

#### 5.3. PROTECTION MEASURES.

In a sustained fire the products will eventually degrade and will give rise to fumes and smoke. Appropriate forms of self-contained breathing apparatus should therefore be worn in such situations.

### 6. ACCIDENTAL RELEASE MEASURES.

---

#### 6.1 PERSONAL PRECAUTIONS.

Glass textile products that are damaged or made friable should be handled with the use of personal protective equipment.

### 7. STORAGE AND HANDLING

---

#### 7.1 STORAGE.

It is highly unlikely that these products will give rise to significant amounts of loose fibre during normal handling and control measures will rarely be required in circumstances involving the fabrication of products from these materials. However, in accordance with good working practices, the production of debris should be minimised and the accumulation of any fibre should be removed by appropriate methods.

#### 7.2 HANDLING.

In the event of the fabric becoming wet and thereby slightly acidic in nature, personal protection equipment e.g. gloves, spectacles and overalls should be worn.

#### 7.3 STORAGE

No special storage conditions are required on health grounds.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION.

---

## 8.1 OCCUPATIONAL EXPOSURE LIMITS

Workplace exposure to mineral fibre dust even of non-respirable size should be kept to the minimum that is reasonably practicable and should not exceed a Workplace Exposure Limit of 5mg/m<sup>3</sup> (8 hour TWA) (Ref. 1).

## 8.2 ENGINEERING MEASURES

Dust levels are only likely to rise above the exposure limit if the materials are handled extremely vigorously or subjected to harsh mechanical abrasion. In such circumstances, the provision of local exhaust ventilation should be considered. Should this not be practicable, protective masks approved for use against irritant dust should be worn in accordance with their manufacturer's instructions.

## 8.3 PERSONAL PROTECTIVE EQUIPMENT

To reduce the chance of skin irritation during the handling of glass fibre based materials, protective overalls of a closely woven structure should be worn. Gloves, arm cuffs or barrier creams may also be advantageous in some circumstances. Emphasis should however be placed on personal hygiene, ensuring that hands and arms are washed with copious quantities of cool running water to remove any loose fibres before application of soap for washing purposes. Where there is a possibility of glass fibre entering the eye, suitable eye protection should be worn.

## 9. PHYSICAL / CHEMICAL PROPERTIES.

---

9.1 APPEARANCE. Green Fabric

9.2 ODOUR. N/A

9.3 PH. N/A

9.4 VISCOSITY. N/A

9.5 FREEZING POINT. N/A

9.6 FREEZE THAW RECOVERY. N/A

9.7 BOILING POINT. N/A

9.8 MELTING POINT. N/A (but see maximum working temperature in Astroflames Technical Brochures)

9.9 FLASH POINT. N/A

9.10 AUTO-FLAMMABILITY. N/A

9.11 EXPLOSIVE PROPERTIES N/A

9.12 VAPOUR PRESSURE. N/A

9.13 VAPOUR DENSITY. N/A

9.14 RELATIVE DENSITY. See appropriate Product Data Sheets.

9.15 SOLUBILITY. Not soluble in water.

9.16 PARTITION COEFFICIENT. N/A

## 10. STABILITY AND REACTIVITY.

### 10.1 STABILITY.

The fabrics are stable when used for the intended applications.

## 11. TOXICOLOGICAL INFORMATION.

### 11.1 SHORT TERM EFFECTS.

#### EYE CONTACT.

Entry of glass fibre into the eye will cause foreign body irritation.

#### SKIN CONTACT.

Some people who come into contact with this glass fibre experience reddening and itching of the skin. Those who are subject to this effect are most likely to experience it when handling the materials for the first time. People with a history of skin complaints may be particularly susceptible to irritation and therefore should minimise their contact with the material.

INGESTION. Not Applicable.

#### INHALATION.

Glass dust from the materials referred to in this Data Sheet is not regarded as respirable in view of the large diameter of the continuous filaments used and the levels of dust likely to arise from most operations involving the handling and use of the materials will be negligible.

### 11.2 CHRONIC EFFECTS

Carcinogenicity - Continuous glass filament is not classified as a carcinogen.

## 12. ECOLOGICAL INFORMATION.

These products are not associated with any known ecological problems.

## 13. DISPOSAL CONSIDERATIONS.

The disposal of waste should be carried out in accordance with national or regional directives - normally by burial in controlled industrial landfill sites.

## 14. TRANSPORT INFORMATION.

All TBA products are labelled as in section 2 and transported securely wrapped to prevent possible damage.

## 15. REGULATORY INFORMATION.

No specific regulatory information is applicable to these glass textiles.

## 16. OTHER INFORMATION.

### References

1. Health & Safety Executive Guidance Note EH 40/2005 Workplace Exposure Limits 2005

The information in this publication is accurate to the best of the knowledge of Astroflame (Fire Seals) Ltd.

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

Astroflame (Fire Seals) Ltd. Intumescent House  
Unit 8, The IO Centre, Stephenson Road, Segensworth  
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482  
(01329 844500)

fax 0800 023 2483  
(01329 844600)

intl  
tel +44 1329 844500

fax +44 1329 844600

email [sales@astroflame.com](mailto:sales@astroflame.com)