

Issue date: 3 March 2010 Revision No.3

## GUM MAGIC PROTECTION

### Safety Data Sheet

#### Description of Product

Gum Magic is an aqueous fluorochemical dispersion. It prevents penetration of water, liquids, oil and most types of surface contamination to porous masonry substrates.

#### Composition/ Information of Ingredients

##### Hazardous ingredients:

- Substances presenting a Health or Environmental hazard within the meaning of the Chemicals; (Hazard Information & Packaging) Regulations 1994 as amended.
- No hazardous substances contained as classified by CHIPS legislation.

#### Hazards Identification

**Hazard Symbols:** -

**Risk Phrases:** -

#### First Aid Measures

- In all cases of doubt or when symptoms persist seek medical attention.
- Never give anything by mouth to an unconscious person.

##### Eye contact:

- Contact lenses should be removed.
- Irrigate copiously with clean, fresh water for at least 10 minutes holding the eyelids apart, seek medical attention.

##### Skin Contact /Ingestion:

- If accidentally swallowed obtain immediate medical attention.
- Keep warm and at rest.
- **DO NOT INDUCE VOMITING.**

#### Fire Fighting Measures

##### Recommended:

- Carbon dioxide,
- Dry Powder
- Sand
- Foam

#### Accidental Release Measures

##### Personal precautions:

Contain and collect spillages with non-combustible absorbent materials e.g. sand, earth and place in suitable container for disposal in accordance with the waste regulations.

#### Handling & Storage

##### Handling:

- Keep container tightly closed.
- **Never** use pressure to empty; container is not a pressure vessel.
- Always keep in containers made of the same material as the supply container.

**Exposure Controls & Personal Protection** - No chemicals present with exposure limits.

##### Engineering Measures:

- Provide adequate ventilation.

- Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

**Eye Protection:** Eye protection designed to protect against liquid splashes should be worn.

### Physical & Chemical Properties

Physical State:	Viscous liquid	Specific gravity:	1 method: Calculation
Solubility in water:	MISCIBLE	Vapour Density:	Heavier than air
Explosion limit:	Lower: 0% vol	V.O.C. Content:	0Kgs/lt.
Flashpoint:	=> 55°C method: Equilibrium Method to ISO 1516 &ISO 3680		

### Stability & Reactivity

#### Stability:

Stable under recommended storage and handling condition; refer to 'Storage & Handling' section.

#### Conditions to avoid:

Heat sources of ignition and direct sunlight.

### Toxicological Information

There is no data available on the product itself.

### Ecological Information

- There is no data available on the product itself.
- The product should **NOT** be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.
- Naphtha (Petroleum), hydro treated heavy LC50/96hr/Fish = >100 mg/kg

### Disposal Considerations

Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

### Transport Information

#### By Sea

**Sub Risk:** No hazards for transportation reportable.

### Regulatory Information

Classification

#### Safety Phrases:

- S26: in case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S7: Keep container tightly closed.
- S25: Avoid contact with eyes.

**'P Phrases:** PROTECT FROM FROST.

---

The information contained in this Safety Data Sheet does not constitute the user's own assessment of the workplace risks as required by other health and safety legislation.  
The provisions of the Health and Safety at Work Act, etc., and the Control of Substances Hazardous to Health Regulations apply to the use of this product at work.