

# Product Data Sheet

## Astro Contract FR Door Viewer

Revision 3 - 5th March 2021



## Astro Contract FR Door Viewer

### Fire Rated Door Viewer.

- A privacy cover door viewer with a 180° angle of vision that comes in a range of colours.
- Door Viewer glass lens with shutter.
- Sizes 14 mm.
- 35-54mm telescopic.
- Tested in accordance with BS EN 1634-1: 2008
- Intumescent protection included.
- Available in a Satin Chrome, Chrome and Brass colour.



Brass



Satin Chrome

#### Product Description

These contract fire rated door viewers are suitable for a telescopic size of 35mm - 54mm. They are fire rated for 30 minutes and offer a 180 degree view. Three colours available Satin Chrome, Chrome and Brass all with a with a 14 mm barrel. All our contract door viewers are fire tested in accordance with BS EN 1634-1: 2008 and includes a piece of intumescent to wrap around the door viewer.

#### Product Availability

The Contract fire rated door viewer range is available from 14 mm

Product Code	Product Description	Size	Fire Testing	Finish
AFDV14SCCT	Contract FR Door Viewer	14 mm	BS EN 1634-1	Satin Chrome
AFDV14CCT	Contract FR Door Viewer	14 mm	BS EN 1634-1	Chrome
AFDV14BCT	Contract FR Door Viewer	14 mm	BS EN 1634-1	Brass

## To Order & Specify

Please contact us and quote the following information - Quantity / Product Description / Product Code / Finish  
Typical wording - 10 / Contract FR Door Viewer / AFDV14CCT / Chrome

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

## Installation

We have technical representatives who provide assistance in the selection and specification of the products on this site and should be consulted for exact installation and product suitability. Ensure an early engagement with ourselves, designers, main contractor and specialist installers before any installation. Other trades and/or manufacturers may need to be consulted. For in-depth information, specification and technical advice please call our Head Office on tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

## Maintenance

All interested parties, designer, specifier, main contractor and specialist installers should provide access to allow the fire stopping seals to be regularly inspected and maintained, as well as records kept of such maintenance at minimum periods of 12 months, as required by the Regulatory Reform Order, and repaired if necessary. Reference should be made to ASFP TGD 17 – Code of Practice for the Installation and Inspection of Fire Stopping.

## Competency

It is vital that those entrusted to design or install a fire stopping product have the necessary levels of competence to undertake the task professionally and thoroughly. The level of competency required will be commensurate with the expected complexity of the building. All designers must eliminate, reduce or control foreseeable risks that may arise during installation, construction or maintenance when preparing or modifying designs. Clients should ensure that the principal designer and principal contractor carry out their duties under CDM regulations. The ASFP foundation course in passive fire protection provides essential knowledge as part of demonstrating competency and understanding in this key fire protection specialism.

## Additional Notes

Each fire door and hardware component will have its own test evidence. It is the responsibility of the purchaser to ensure that the product is fully compliant with the relevant test evidence, if in doubt please contact the technical team on: tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

## Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
or E: [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email [sales@astroflame.com](mailto:sales@astroflame.com) and we will contact you.