

Safety Data Sheet - Northern Ireland (NI)

Astro HPE Sealant

UIC of product-type: AFHPE

Revision 16 - 7th February 2023







Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form : Mixture Product Code : AFHPESG Product Name : Astro HPE

Type of product : 8CC0-K0DE-S00A-09QW : Adhesives, sealants : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture: Adhesives, sealants

1.2.2 Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: Astroflame (Fireseals) LTD

Unit 8 , I.O Centre Stephenson Road Segensworth Fareham PO15 5RU

United Kingdom

Tel Number: (0) 44 1329 844500

Email : sales@astroflame.com

1.4. Emergency telephone number

Tel Number: (0) 44 1329 844500 During office hours 08:00 - 17:30

Call 999 For Emergency. Call 111 For Non-Emergency medical advice.

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 : H319
Reproductive toxicity, Category 2 : H361
Hazardous to the aquatic environment — Chronic Hazard, Category 3 : H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07 GHS08

Signal word (CLP) :Warning
Contains :Melamine

Hazard statements (CLP) :H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP): P201 - Obtain special instructions before use.

P280 - Wear protective clothing, eye protection, face protection.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements :EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-

one(2634-33-5), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and

2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component				
, ,	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component				
Melamine (108-78-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605			

Section 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminium Hydroxide	CAS-No.: 21645-51-2 EC-No.: 244-492-7 REACH-no: 01-2119529246-39	10 – 30	Not classified
Melamine substance listed as REACH Candidate	CAS-No.: 108-78-1 EC-No.: 203-615-4	1-10	Repr. 2, H361
Cellulose substance with a Community workplace exposure limit	-		Not classified
Alkylphenol polypropylene glycol ether	CAS-No.: 9064-15-7 EC-No.: 696-008-2	1-10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411
1,2-benzisothiazol- 3(2H)-one; 1,2-benzisothiazolin- 3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	0.008	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	0.001	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:					
Name	Product identifier	Specific concentration limits			
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088- 00-6	(0.05 ≤C ≤ 100) Skin Sens. 1, H317			
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167- 00-5	($0.0015 \le C \le 100$) Skin Sens. 1A, H317 ($0.06 \le C < 0.6$) Skin Irrit. 2, H315 ($0.06 \le C < 0.6$) Eye Irrit. 2, H319 (0.6 ≤ $C \le 100$) Skin Corr. 1C, H314 ($0.6 \le C \le 100$) Eye Dam. 1, H318			

Full text of H- and EUH-statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for

breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptons and effects , both acute and delayed

Symptoms/effects after eye contact: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5: Fire-Fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire: Toxic fumes may be released.

5.3. Advice for fire - fighters

Protection during firefighting: Do not attempt to take action without suitable protective

equipment. Self-contained breathing apparatus. Complete

protective clothing.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures :Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective

equipment. For further information refer to section 8:

"Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Toxic to aquatic life with long lasting effects.



6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities

if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling :Ensure good ventilation of the work station. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions :Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

Section 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

Aluminium Hydroxide (21645-51-2)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1] 10 mg/m³ total dust 4 mg/m³ respirable dust

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Dust formation: dust mask. Gloves.

Personal protective equipment symbol(s):









8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Туре	Field of application	Characteristics	Standard	
Safety glasses			EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Vinyl, Nitrile rubber (NBR), Chloroprene rubber (CR)	2 (> 30 minutes)			EN ISO 374-1

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Thermal hazards

Environmental exposure controls:

Avoid release to the environment.

9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Grey.
Appearance : Paste.

Odour : Not available **Odour threshold** : Not available **Melting point** : Not applicable **Freezing point** : Not available **Boiling point** : Not available **Flammability** : Non flammable. **Explosive limits** : Not available **Lower explosion limit** : Not available : Not available **Upper explosion limit** : Not available Flash point : Not available **Auto-ignition temperature Decomposition temperature** : Not available

pH :5-9

Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available : 1.3 - 1.4Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Section 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical Stability

Stable under normal conditions.

10.3. Possibility of hazerdous reactions

No dangerous reactions known under normal conditions of use.



10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11: Toxicological information

Section 11: Toxicological information	1				
11.1. Information on hazard classes as defined in F	Regulation (EC) N	lo 1272/2008			
Acute toxicity (oral)	ot classified				
Acute toxicity (dermal)	: Not classified				
Acute toxicity (inhalation)	: No	: Not classified			
Aluminium Hydroxide (21645-51-2)					
LD50 oral rat		> 2000 mg/kg bodyweight			
LC50 Inhalation - Rat		> 2.3 mg/l			
Melamine (108-78-1)					
LC50 Inhalation - Rat		> 5.19 mg/l air			
Skin corrosion/irritation	:	Not classified			
		pH: 5 – 9			
Aluminium Hydroxide (21645-51-2)					
рН		9			
Serious eye damage/irritation	:	Causes serious eye irritation.			
		pH: 5 – 9			
Aluminium Hydroxide (21645-51-2)					
рН		9			
Respiratory or skin sensitisation	:	Not classified			
Germ cell mutagenicity	:	Not classified			
Carcinogenicity	:	Not classified			
Reproductive toxicity	:	Suspected of damaging fertility or the unborn child			
Aluminium Hydroxide (21645-51-2)					
NOAEL (animal/male, F0/P)		1000 mg/kg bodyweight			
STOT-single exposure	:	Not classified			
STOT-repeated exposure	:	Not classified			
Aspiration hazard	:	Not classified			
Cellulose					
Viscosity, kinematic		Not applicable			



Aluminium Hydroxide (21645-51-2)		
Viscosity, kinematic	Not applicable	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met

Section 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: Harmful to aquatic life with long lasting effects.

: Not classified

: Harmful to aquatic life with long lasting effects.

Melamine (108-78-1)	
LC50 - Fish [1]	> 3000 mg/l
EC50 - Crustacea [1]	200 mg/l
EC50 96h - Algae [1]	325 mg/l
LOEC (chronic)	> 11 mg/l
NOEC (chronic)	> 11 mg/l
NOEC chronic fish	≥ 5.1 mg/l

12.2. Persistence and Degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

Astro HPE Sealant	
Ecology - soil	Expected to be highly mobile in soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available



Section 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Waste treatment methods

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Section 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or	ID number	•				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper ship	pping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport haza	14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group	14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary information available						

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Melamine (EC 203-615-4, CAS 108-78-1)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Indication of changes:

Composition/information on ingredients.

Indication of changes					
Section Changed item Change Comments					
3.2	Additional information	Modified	Melamine added to Candidate List		

Abbreviati	ons and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:			
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5), reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H361	Suspected of damaging fertility or the unborn child.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 2	Reproductive toxicity, Category 2		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1A	Skin sensitisation, category 1A		

The classification complies with : ATP 12

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.