

# Safety Data Sheet - Europe (EU)

Astro Intu Mastic

UIC of product-type: INTUM

Revision 15 - 23rd February 2023



**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Product form** : Mixture**Product Name** : Astro Intu Mastic**Type of product** : Sealants**Product group** : Trade product**Product Code** : AFIM**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses****Main use category** : Professional use**Industrial/Professional use spec** : For professional use only**Use of substance/Mixture** : Adhesives, sealants**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Company Name** : Astroflame (Fireseals) LTD  
Unit 8 , I.O Centre  
Stephenson Road  
Segensworth  
Fareham  
PO15 5RU  
United Kingdom**EU Importer** : Hofstee Preventie Service V.O.F  
Plesmanstraat 53  
7903 BG Hoozeveen  
Netherlands**Tel Number** : (0) 44 1329 844500**Tel Number** : 0031 59333 1776**Email** : sales@astroflame.com**Email** : info@hpsmail.nl**1.4. Emergency telephone number****Tel Number** : (0) 44 1329 844500 Language: English - Office hours 8am to 5:30pm GMT  
0031 593331776 Language: Language: English/Dutch

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** : EUH205 - Contains epoxy constituents. May produce an allergic reaction.  
EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Other hazards which do not result in classification : Dust formation.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## Section 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate	CAS-No.: 471-34-1 EC-No.: 207-439-9	30 – 50	Not classified
Aluminium Hydroxide	CAS-No.: 21645-51-2 EC-No.: 244-492-7 REACH-no: 01-2119529246-39	10 – 30	Not classified
Titanium Dioxide	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17	< 1	Carc. 2, H351
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 1	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	( 0.05 ≤ C ≤ 100) Skin Sens. 1, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	( 0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317 ( 0.06 ≤ C < 0.6) Skin Irrit. 2, H315 ( 0.06 ≤ C < 0.6) Eye Irrit. 2, H319 ( 0.6 ≤ C ≤ 100) Skin Corr. 1C, H314 ( 0.6 ≤ C ≤ 100) Eye Dam. 1, H318

#### Comments

: Titanium dioxide

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Full text of H- and EUH-statements: see section 16

## Section 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation** : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact** : Wash skin with plenty of water.
- First-aid measures after eye contact** : Rinse eyes with water as a precaution.
- First-aid measures after ingestion** : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects , both acute and delayed

- Symptoms/effects** : Immediate effects can be expected after short term exposure.
- Symptoms/effects after inhalation** : May cause minor irritation to the respiratory tract and to other mucous membranes.
- Symptoms/effects after skin contact** : May cause slight irritation to the skin.
- Symptoms/effects after eye contact** : May cause minor eye irritation.
- Symptoms/effects after ingestion** : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Section 5: Fire-Fighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

**Hazardous decomposition products in case of fire** : Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Toxic fumes may be released.

### 5.3. Advice for fire - fighters

**Protection during firefighting** : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area.

#### 6.1.2. For non-emergency personnel

**Protective equipment** : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/ personal protection".

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and materials for containment and cleaning up

**Methods for cleaning up** : Ventilate spillage area. Shovel or sweep up and put in a closed container for disposal. Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Prevent the product from entering drains or confined areas.

**Other information** : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

# Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Precautions for safe handling** : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid dust formation.

**Hygiene measures** : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions** : Store in a well-ventilated place. Keep cool.

**Incompatible products** : Strong acids.

## 7.3. Specific end use(s)

No additional information available

# Section 8: Control parameters/personal protection

## 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

#### Calcium carbonate (471-34-1)

##### Croatia - Occupational Exposure Limits

<b>Local name</b>	Kalcijev karbonat
<b>GVI (OEL TWA) [1]</b>	4 mg/m <sup>3</sup> R (respirabilna prašina) 10 mg/m <sup>3</sup> U (ukupna prašina)
<b>Regulatory reference</b>	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, граниčnim vrijednostima izloženosti i biološkim граниčnim vrijednostima (NN 1/2021)

##### France - Occupational Exposure Limits

<b>Local name</b>	Calcium (carbonate de) (Calcite) (Marbre)
<b>VME (OEL TWA)</b>	10 mg/m <sup>3</sup>
<b>Remark</b>	Valeurs recommandées/admises
<b>Regulatory reference</b>	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Germany - Occupational Exposure Limits (TRGS 552)</b>	
Concentration limits	6 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Calcium carbonate [Limestone, Marble]
OEL TWA [1]	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Kalcija karbonāts
OEL TWA	6 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Węglan wapnia
NDS (OEL TWA)	10 mg/m <sup>3</sup> frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikaąca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> total inhalable 4 mg/m <sup>3</sup> respirable
WEL STEL (OEL STEL)	4 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Carbonate de calcium / Calciumcarbonat
MAK (OEL TWA) [1]	3 mg/m <sup>3</sup> (a) / (a)
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA	10 mg/m <sup>3</sup>

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Aluminium Hydroxide (21645-51-2)</b>	
<b>Austria - Occupational Exposure Limits</b>	
Local name	Aluminiumhydroxid
MAK (OEL TWA)	5 mg/m <sup>3</sup> (A)
MAK (OEL STEL)	10 mg/m <sup>3</sup> (A, 2x 60(Miw) min)
Regulatory reference	BGBI. II Nr. 238/2018
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Alumīnija hidroksīds
OEL TWA	6 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Aluminio hidroksidas
IPRV (OEL TWA)	6 mg/m <sup>3</sup>
Remark	F (fibrogeninis poveikis)
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)
<b>Poland - Occupational Exposure Limits</b>	
Local name	Wodorotlenek glinu
NDS (OEL TWA)	1.2 mg/m <sup>3</sup> w przeliczeniu na Al: frakcja respirabilna 2.5 mg/m <sup>3</sup> w przeliczeniu na Al: frakcja wdychalna
Remark	F (fibrogeninis poveikis)
Regulatory reference	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikająca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.
Regulatory reference	Dz. U. 2018 poz. 1286
<b>Slovakia - Occupational Exposure Limits</b>	
Local name	Hydroxid hlinitý
NPHV (OEL TWA) [1]	4 mg/m <sup>3</sup> inhalovateľná frakcia – prach 1.5 mg/m <sup>3</sup> respirabilná frakcia – prach
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> total dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Aluminium hydroxyde / Aluminiumhydroxid
MAK (OEL TWA) [1]	3 mg/m <sup>3</sup> (a) / (a)
Critical toxicity	Formel / Formal
Notation	B / B
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022



According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Switzerland - BAT	
Local name	Aluminium hydroxyde / Aluminiumhydroxid
BAT	50 µg/g creatinine (0.21 µmol/mmol cr.; Paramètre biologique: Aluminium; Substrat d'examen: Urine; Moment du prélèvement: Exposition de longue durée: après plusieurs périodes de travail.) / (0.21 µmol/mmol cr.; Biologischer Parameter: Aluminium; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, <a href="http://www.suva.ch/valeurs-limites">www.suva.ch/valeurs-limites</a> / Verordnung 832.30 (VUV), Art. 50 Abs. 3, <a href="http://www.suva.ch/grenzwerte">www.suva.ch/grenzwerte</a>

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

##### Austria - Occupational Exposure Limits

Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)
MAK (OEL TWA)	0.05 mg/m <sup>3</sup>
Remark	Sh
Regulatory reference	BGBl. II Nr. 238/2018

##### Switzerland - Occupational Exposure Limits

Local name	2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle et 2,3-dihydro-isothiazol-3-one de 2-méthyle [2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle, 2,3-Dihydro-isothiazol-3-one de 2-méthyle] / 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on [2-Methyl-2,3-dihydroisothiazol-3-on, 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on]
MAK (OEL TWA) [1]	0.2 mg/m <sup>3</sup> (i) / (e)
KZGW (OEL STEL)	0.4 mg/m <sup>3</sup> (i) / (e)
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge
Notation	S, SS <sub>c</sub> / S, SS <sub>c</sub>
Regulatory reference	<a href="http://www.suva.ch">www.suva.ch</a> , 01.01.2021

#### Titanium Dioxide (13463-67-7)

##### Austria - Occupational Exposure Limits

Local name	Titandioxid (Alveolarstaub)
MAK (OEL TWA)	5 mg/m <sup>3</sup> (A)
MAK (OEL STEL)	10 mg/m <sup>3</sup> (A, 2x 60(Miw) min)
Regulatory reference	BGBl. II Nr. 238/2018

##### Belgium - Occupational Exposure Limits

Local name	Titane (dioxyde de) # Titaandioxide
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021

##### Bulgaria - Occupational Exposure Limits

Local name	Титанов диоксид
OEL TWA	10 mg/m <sup>3</sup> (респирабилен прах)
Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа (изм. и доп. ДВ. бр. 47 от 2021 г., в сила от 04.06.2021 г.)

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Croatia - Occupational Exposure Limits	
Local name	Titanov dioksid
GVI (OEL TWA) [1]	10 mg/m <sup>3</sup> U (ukupna prašina) 4 mg/m <sup>3</sup> R (respirabilna prašina)
Regulatory reference	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
Denmark - Occupational Exposure Limits	
Local name	Titandioxid
OEL TWA [1]	6 mg/m <sup>3</sup> beregnet som Ti
Regulatory reference	BEK nr 2203 af 29. november 2021
Estonia - Occupational Exposure Limits	
Local name	Titaanoksiid
OEL TWA	5 mg/m <sup>3</sup>
Regulatory reference	Vabariigi Valitsuse 20. märtsi 2001. a määruse nr 105 (RT I, 15.05.2021, 1)
France - Occupational Exposure Limits	
Local name	Titane (dioxyde de), en Ti
VME (OEL TWA)	10 mg/m <sup>3</sup>
Remark	Valeurs recommandées/admises
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Greece - Occupational Exposure Limits	
Local name	Τιτανίου διοξειδίο
OEL TWA	10 mg/m <sup>3</sup> εισπ. 5 mg/m <sup>3</sup> αναπν.
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA [1]	4 mg/m <sup>3</sup> respirable dust 10 mg/m <sup>3</sup> total inhalable dust
Regulatory reference	Chemical Agents Code of Practice 2021
Latvia - Occupational Exposure Limits	
Local name	Titāna dioksīds
OEL TWA	10 mg/m <sup>3</sup>
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325 (Grozījumi Ministru kabineta 2011. gada 1. februārī noteikumiem Nr. 92)
Lithuania - Occupational Exposure Limits	
Local name	Titano dioksidas
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Poland - Occupational Exposure Limits	
Local name	Ditlenek tytanu
NDS (OEL TWA)	10 mg/m <sup>3</sup> frakcja wdychalna
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Obowiązuje jednoczesne oznaczanie stężeń frakcji respirabilnej krzemionki krystalicznej.
Regulatory reference	Dz. U. 2018 poz. 1286
Portugal - Occupational Exposure Limits	
Local name	Dióxido de titânio
OEL TWA	10 mg/m <sup>3</sup>
Remark	A4 (Agente não classificável como carcinogénico no Homem)
Regulatory reference	Norma Portuguesa NP 1796:2014
Romania - Occupational Exposure Limits	
Local name	Dioxid de titan
OEL TWA	10 mg/m <sup>3</sup>
OEL STEL	15 mg/m <sup>3</sup>
Regulatory reference	Hotărârea Guvernului nr. 1.218/2006 (Hotărârea nr. 53/2021)
Slovakia - Occupational Exposure Limits	
Local name	Oxid titaničitý
NPHV (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (236/2020 Z. z.)
Spain - Occupational Exposure Limits	
Local name	Dióxido de titanio
VLA-ED (OEL TWA) [1]	10 mg/m <sup>3</sup>
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
Local name	Titandioxid
NGV (OEL TWA)	5 mg/m <sup>3</sup> totaldamm
Remark	3 (Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod)
Regulatory reference	Hygieniska gränsvärden (AFS 2018:1)
United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> total inhalable 4 mg/m <sup>3</sup> respirable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Iceland - Occupational Exposure Limits	
Local name	Títandíoxíð, sem Ti
OEL TWA	6 mg/m <sup>3</sup>
Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)

Norway - Occupational Exposure Limits	
Local name	Titandioksid
Greenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>
Regulatory reference	FOR-2021-06-28-2248

Switzerland - Occupational Exposure Limits	
Local name	Dioxyde de titane / Titandioxid
MAK (OEL TWA) [1]	3 mg/m <sup>3</sup> (a) / (a)
Critical toxicity	VRI / UAW
Notation	SS <sub>c</sub> / SS <sub>c</sub>
Remark	NIOSH
Regulatory reference	www.suva.ch, 28.03.2022

**8.1.2. Recommended monitoring procedures**

No additional information available

**8.1.3. Air contaminants formed**

No additional information available

**8.1.4. DNEL and PNEC**

No additional information available

**8.1.5. Control banding**

No additional information available

**8.2. Exposure controls**

**8.2.1. Appropriate engineering controls**

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

**8.2.2. Personal protection equipment**

**Personal protective equipment:**

Dust formation: dust mask. Gloves.

**Personal protective equipment symbol(s):**



**8.2.2.1. Eye and face protection**

**Eye protection:**

Safety glasses

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses			EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

Hand protection:					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves					EN ISO 374

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white. Grey. Light grey. Black. red. brown.
Appearance	: Paste.
Odour	: acrylic-like.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6.5 – 9
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 300000 – 900000 cP
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1.56 – 1.66 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## Section 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical Stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials**

Oxidizing agent. Strong acids.

**10.6. Hazardous Decomposition Products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity (oral)** : Not classified  
**Acute toxicity (dermal)** : Not classified  
**Acute toxicity (inhalation)** : Not classified

Calcium carbonate (471-34-1)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LC50 Inhalation - Rat	> 3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

Aluminium Hydroxide (21645-51-2)	
LD50 oral rat	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat	> 2.3 mg/l

Titanium Dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 6.8 mg/l/4h

**Skin corrosion/irritation** : Not classified  
pH: 6.5 – 9

Calcium carbonate (471-34-1)	
pH	8.5 – 9.5

Aluminium Hydroxide (21645-51-2)	
pH	9

Titanium Dioxide (13463-67-7)	
pH	6 – 8

**Serious eye damage/irritation** : Not classified  
pH: 6.5 – 9

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Calcium carbonate (471-34-1)	
pH	8.5 – 9.5

Aluminium Hydroxide (21645-51-2)	
pH	9

Titanium Dioxide (13463-67-7)	
pH	6 – 8

Respiratory or skin sensitisation : Not classified  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : Not classified  
 Reproductive toxicity : Not classified

Aluminium Hydroxide (21645-51-2)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight

STOT-single exposure : Not classified  
 STOT-repeated exposure : Not classified

Calcium carbonate (471-34-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

Calcium carbonate (471-34-1)	
Viscosity, kinematic	Not applicable

Aluminium Hydroxide (21645-51-2)	
Viscosity, kinematic	Not applicable

**11.1. Information on other hazards**

**11.2.1. Endocrine disrupting properties**

Adverse health effects caused by endocrine disrupting properties : Based on available data, the classification criteria are not met

**11.2.2. Other information**

No additional information available

**Section 12: Ecological information**

**12.1. Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.  
 Hazardous to the aquatic environment, short-term: (acute) Not classified  
 Hazardous to the aquatic environment, short-term: (chronic) Not classified  
 Not rapidly degradable



According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Calcium carbonate (471-34-1)</b>	
LC50 - Fish [1]	> 10000
EC50 - Crustacea [1]	> 1000
EC50 72h - Algae [1]	> 200 mg/l
<b>Titanium Dioxide (13463-67-7)</b>	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l Test organisms (species):
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 2.92 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

**12.2. Persistence and Degradability**

No additional information available

**12.3. Bioaccumulative potential**

<b>Astro Intu Mastic</b>	
Bioaccumulative potential	Not potentially bioaccumulable.

<b>Calcium carbonate (471-34-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	< 1

**12.4. Mobility in soil**

<b>Astro Intu Mastic</b>	
Ecology - soil	Product adsorbs onto the soil. Liquid product : Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

<b>Astro Intu Mastic</b>	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	

**12.6. Endocrine disrupting properties**

No additional information available

**12.7. Other adverse effects**

No additional information available

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Regional legislation (waste)</b>	:	Disposal must be done according to official regulations.
<b>Waste treatment methods</b>	:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
<b>Additional information</b>	:	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging contaminated by the product : Disposal must be done according to official regulations. Non-contaminated packages may be recycled.
<b>European List of Waste (LoW) code</b>	:	08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## Section 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

**Overland transport**

Not applicable

**Transport by sea**

Not applicable

**Air transport**

Not applicable

**Inland waterway transport**

Not applicable

**Rail transport**

Not applicable

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

**REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

**REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

**REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

**PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

**POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

**Ozone Regulation (1005/2009)**

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

**Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

**Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

**15.1.2. National regulations**

**Occupational diseases**

Code	Description
RG 65	Eczematiform lesions of allergic mechanism
RG 65	Occupational rhinitis and asthma

**Germany**

- Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK)** : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
- Hazardous Incident Ordinance (12. BImSchV)** : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Netherlands

### ABM category

:Z(1) - non biodegradable substances with hazardous properties for humans and the environment (carcinogenicity/ mutagenicity/ reprotoxicity/bioacumulative potential/ toxicity or persistence)

**SZW-lijst van kankerverwekkende stoffen** : None of the components are listed

**SZW-lijst van mutagene stoffen** :None of the components are listed

**SZW-lijst van reprotoxische stoffen** :None of the components are listed

#### – Borstvoeding

**SZW-lijst van reprotoxische stoffen** :None of the components are listed

#### – Vruchtbaarheid

**SZW-lijst van reprotoxische stoffen** :None of the components are listed

#### – Ontwikkeling

## Denmark

### Danish National Regulation

:Young people below the age of 18 years are not allowed to use the product.

Pregnant/breastfeeding women working with the product must not be in direct contact with the product.

People who have eczema or allergy to epoxy, may not work with the material.

The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal

## Switzerland

### Storage class (LK)

:LK 10/12 - Liquids

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Section 16: Other information

Indication of changes:			
1.2	Additional information	Modified	Modification of use descriptor
2.2	EUH-statements	Added	EUH205 Added
2.3	Additional information	Added	Added information regarding dust formation
3.2	Composition/information on ingredients	Added	Added information regarding isothiazolinones and Titanium dioxide
4.2	Symptoms/effects after eye contact	Modified	
4.2	Symptoms/effects after ingestion	Modified	
4.2	Symptoms/effects after skin contact	Modified	
5.2	Additional information	Added	Added information regarding pyrolysis products
6.3	Additional information	Added	Added information regarding the disposal of solid spills
8.1	Additional information	Added	Titanium Dioxide WELs added
8.2	Additional information	Added	Added required EN standards for PPE
12.4	Mobility in soil	Modified	Added information regarding liquid product being absorbed into soil
13.1	Additional information	Added	EU LoW code and additional disposal information

### Abbreviations and acronyms:

<b>ADN</b>	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
<b>ADR</b>	European Agreement concerning the International Carriage of Dangerous Goods by Road
<b>ATE</b>	Acute Toxicity Estimate
<b>BLV</b>	Biological limit value
<b>CAS-No.</b>	Chemical Abstract Service number
<b>CLP</b>	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
<b>DMEL</b>	Derived Minimal Effect level
<b>DNEL</b>	Derived-No Effect Level
<b>EC50</b>	Median effective concentration
<b>EC-No.</b>	European Community number
<b>EN</b>	European Standard
<b>IATA</b>	International Air Transport Association
<b>IMDG</b>	International Maritime Dangerous Goods
<b>LC50</b>	Median lethal concentration
<b>LD50</b>	Median lethal dose
<b>LOAEL</b>	Lowest Observed Adverse Effect Level
<b>NOAEC</b>	No-Observed Adverse Effect Concentration
<b>NOAEL</b>	No-Observed Adverse Effect Level
<b>NOEC</b>	No-Observed Effect Concentration
<b>OEL</b>	Occupational Exposure Limit
<b>PBT</b>	Persistent Bioaccumulative Toxic
<b>PNEC</b>	Predicted No-Effect Concentration
<b>REACH</b>	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

According to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>RID</b>	Regulations concerning the International Carriage of Dangerous Goods by Rail
<b>SDS</b>	Safety Data Sheet
<b>vPvB</b>	Very Persistent and Very Bioaccumulative
<b>WGK</b>	Water Hazard Class

**Full text of H- and EUH-statements:**

<b>Acute Tox. 2 (Dermal)</b>	Acute toxicity (dermal), Category 2
<b>Acute Tox. 2 (Inhalation)</b>	Acute toxicity (inhal.), Category 2
<b>Acute Tox. 3 (Oral)</b>	Acute toxicity (oral), Category 3
<b>Acute Tox. 4 (Oral)</b>	Acute toxicity (oral), Category 4
<b>Aquatic Acute 1</b>	Hazardous to the aquatic environment — Acute Hazard, Category 1
<b>Aquatic Chronic 1</b>	Hazardous to the aquatic environment — Chronic Hazard, Category 1
<b>Carc. 2</b>	Carcinogenicity, Category 2
<b>EUH205</b>	Contains epoxy constituents. May produce an allergic reaction.
<b>EUH208</b>	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
<b>EUH210</b>	Safety data sheet available on request.
<b>Eye Dam. 1</b>	Serious eye damage/eye irritation, Category 1
<b>Eye Irrit. 2</b>	Serious eye damage/eye irritation, Category 2
<b>H301</b>	Toxic if swallowed.
<b>H302</b>	Harmful if swallowed.
<b>H310</b>	Fatal in contact with skin.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H330</b>	Fatal if inhaled.
<b>H351</b>	Suspected of causing cancer.
<b>H400</b>	Very toxic to aquatic life.
<b>H410</b>	Very toxic to aquatic life with long lasting effects.
<b>Skin Corr. 1C</b>	Skin corrosion/irritation, Category 1, Sub-Category 1C
<b>Skin Irrit. 2</b>	Skin corrosion/irritation, Category 2
<b>Skin Sens. 1</b>	Skin sensitisation, Category 1
<b>Skin Sens. 1A</b>	Skin sensitisation, category 1A

The classification complies with : ATP 12  
Safety Data Sheet (SDS) CUSTOM 2020/878

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.