

# Product Data Sheet

## Astro X Series CE Pipe Wrap

Revision 7 - 28th January 2019





ETA - 15-0619  
CE-1121-CPR-JA5085

## Astro X Series CE Pipe Wrap

### CE Marked Intumescent Pipe Wrap

- CE Marked.
- Certifire Approved.
- Fire Resistance Testing to EN 1366-3 : 2009.
- The pipes tested include PVC, PP, HDPE and PE up to a size of 200mm diameter.
- Fire resistance testing through flexible wall and rigid floors and walls.
- Resistance to fire classification EN 13501-2.
- Not affected by fungus, vermin or rodents.
- Remains flexible between -5°C to +40°C.




#### Product Description

Astro X Series CE Pipe Wrap are designed and tested to seal service penetration apertures containing plastic pipes using thermoplastic composites based on graphite intumescent technology.

Developed to provide a high volume expansion and pressure seal during a fire. The Astro X Series CE Pipe Wrap offers EI120 tested to EN1366-3, the maximum diameter being 200mm, the ultra thin design of Astro X Series CE Pipe Wrap ensuring that they can be installed in to the tightest of locations.

Astro X Series CE Pipe Wrap can be installed in flexible wall, rigid wall, rigid floor constructions and with Batt systems. They are compatible with polypropylene(PP), polyethylene (PE) and polyvinylchloride (PVC) pipes.

Astro X Series CE Pipe Wrap is used around combustible pipes to form a penetration seal used to reinstate the fire resistance performance of wall and floor constructions, where they have been provided with apertures for the penetration of combustible pipe services.

 1121
Astroflame Fireseals Ltd Unit 8 I.O Centre Stephenson Road Segensworth, Fareham Hampshire, PO15 5RU 15 1121-CPR- JA5085
ETA - 15/0619 ETAG 026-Part 1 ETAG 026-Part 2 ASTRO X SERIES CE PIPE WRAP " See ETA - 15/0619 for Relevant characteristics

### Product Description

Astro X Series CE Pipe Wrap include an intumescent component incorporated into a lightweight polythene layflat tubing to close any gaps and joints and provide a closure of combustible pipes when heated and to prevent the passage of fire.

### Product Availability

The Astro X Series CE Pipe Wrap range is available in standard sizes, to suit 55, 82, 110, & 160mm diameter pipes, and includes intermediate and larger sizes.

Product Code	Product Description	Size
AFIPW32X/CE	Astro X Series CE Pipe Wrap 32mm	32mm
AFIPW40X/CE	Astro X Series CE Pipe Wrap 40mm	40mm
AFIPW55X/CE	Astro X Series CE Pipe Wrap 55mm	55mm
AFIPW63X/CE	Astro X Series CE Pipe Wrap 63mm	63mm
AFIPW75X/CE	Astro X Series CE Pipe Wrap 75mm	75mm
AFIPW82X/CE	Astro X Series CE Pipe Wrap 82mm	82mm
AFIPW90X/CE	Astro X Series CE Pipe Wrap 90mm	90mm
AFIPW110X/CE	Astro X Series CE Pipe Wrap 110mm	110mm
AFIPW125X/CE	Astro X Series CE Pipe Wrap 125mm	125mm
AFIPW140X/CE	Astro X Series CE Pipe Wrap 140mm	140mm
AFIPW160X/CE	Astro X Series CE Pipe Wrap 160mm	160mm
AFIPW200X/CE	Astro X Series CE Pipe Wrap 200mm	200mm

### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size  
 Typical example:- 10 / AFIPW55X/CE / Astro X Series CE Pipe Wrap / 55mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

### Installation

Please see (TDS) Technical Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
 or E: [sales@astroflame.com](mailto:sales@astroflame.com)

### Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
 or E: [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.