

Product Data Sheet

Astro AS Audio Seal


Revision 2 - August 2018



Astro AS Audio Seal

Acoustic Audio Perimeter Door Seal

- Sound Reduction of up to 35dB
- Choice of Colours: Black, Brown, White, Light Oak
- Acoustic Seal Dimensions:
 - A 14mm
 - B 10mm
 - C 9mm
 - D 5mm
- Length 2100mm



Product Description

This revolutionary Audio Seal has been designed and manufactured to provide an effective barrier to seal perimeter gaps in high performance doorset assemblies.

The product is designed and expected to achieve a noise reduction level of up to R_w 35dB. This rating will vary depending on the door density and any additional threshold & perimeter seals used in conjunction with this product, contact us for confirmation before specifying.



Symbols Key

 Light	 Document E
 Weatherproof	 Easy Access
 Acoustic seal	 Smoke seal
 Insectproof	 Draught seal

Product Availability

Sold individually in 2100mm lengths and in 4 colours

Product Code	Description	Colour	Length
AFASAUDIOBLK	Astro AS Audio Seal	Black	2100mm
AFASAUDIOBRN	Astro AS Audio Seal	Brown	2100mm
AFASAUDIOWHT	Astro AS Audio Seal	White	2100mm
AFASAUDIOLO	Astro AS Audio Seal	Light Oak	2100mm

To Order & Specify

Please contact us and quote the following information - Quantity / Product Description / Product Code / Colour
Typical wording - 10 / Astro AS Audio Seal / AFASAUDIOBLK / Black

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

For further information on installation requirements please contact the technical team on: tel [01329 844 500](tel:01329844500)
or email sales@astroflame.com

Health and Safety

For further information on health and safety requirements please contact the technical team on: tel [01329 844 500](tel:01329844500)
or email sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.