

# Product Data Sheet

## Astro Window Restrictor

Revision 6 - 20th January 2020

## Astro Window Restrictor

### Cable Window Restrictor

- Locking cable window restrictors enable natural ventilation without introducing safety / security risks for children.
- Tested to EN 13126-5 : 2011 + A1 : 2014.
- Installs to PVC, aluminium, wooden and metal profile windows and doors.
- Window can be fully opened by unlocking the restrictor cable.
- Resistant to oxidation and corrosion.
- White or Brown finish.
- Supplied as a kit with all fittings and instructions.
- Durable and easy to install.
- Limits window opening to under 100mm.



### Product Description

A window restrictor protects babies and children from accidental falls via windows or balcony doors opened to allow natural ventilation.

It also acts as a security measure to deter opportunist intruders and to restrict what can be passed via the window / door gap. This model can be used on all types of windows and doors including uPVC, aluminium, wooden and metal profiles.

The locked cable restricts window opening to under 100mm but, when unlocked, the window can be fully opened making this restrictor suitable for use on doors and windows that may be used for fire evacuation purposes.

The locked restrictor withstands forces over 100kg ( 220 lbs. / 15 stone / 980Nm): the industry standard is 50kg. Tested to EN 13126-5 : 2011 + A1 : 2014.

It is robust, durable and easy to fit and supplied with all required fittings plus instructions. Locking system and key resistant to oxidation and corrosion - made of a zinc alloy cast body and a nickel plated pin.

### Product Availability

Astro Window Restrictor kit available in White or Brown finishes.

Product Code	Description	Size	Colour
AFWRWHT	Astro Window Restrictor	200mm Cable	White
AFWRBRN	Astro Window Restrictor	200mm Cable	Brown

### To Order & Specify

Please contact us and quote the following - Quantity / Product Description / Product Code / Size / Colour  
Typical wording - 20no / Astro window restrictor / AFWRWHT / 200mm Cable / White

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

### Health and Safety

For further information on health and safety requirements please contact the technical team  
on: tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

### Installation

For further information on installation please contact the technical team on: tel [01329 844 500](tel:01329844500)  
or email [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email [sales@astroflame.com](mailto:sales@astroflame.com) and we will contact you.