

# Product Data Sheet



## Astro corner guard industrial

Revision 2 - May 2018

## Astro corner guard industrial

### Reflective corner guard safety strip

- Reflective Corner Guard Industrial is suitable for use on corners found:
  - in car parks and loading bays
  - in work areas where vehicles are active
  - in many buildings and public areas
- Resists knocks and scrapes
- Highly reflective - drawing peoples attention in order to help prevent a collision
- Quick and easy to install
- 18mm thick padding
- Strip dimensions 1000 x 95 x 95mm
- Aluminium strip, to increase strength and cushioning effect, enclosed in integral Skin Urethane.
- Reflective tapes cover the corner guard strip.
- Supplied pre-drilled and with fixing bolts and caps



#### Product Description

A reflective corner guard used as protective cushioning on corners and hard edges of buildings to prevent damage to or from vehicles. Typical applications are car parks, loading bays and warehouses.

Corner Guard Industrial padding has an aluminium 'spine' which further reduces the risk of damage to property and vehicles. Strips are in the universal hazard colours of black with a reflective yellow stripe to get the attention of vehicle users. Quick and easy to install and needing no special maintenance.

### Product Availability

Available in Black with Yellow reflective tape (ask about other colour combinations). All strips are 1000 x 95 x 95mm.  
Packed - Individually

Product Code	Description	Size	Colour
AFCGIND	Astro corner guard industrial	1000mm	Black / Yellow

### To Order & Specify

Please contact us and quote the following - Quantity / Product Description / Product Code / Size / Colour  
Typical wording - 10no / Astro corner guard industrial / AFCGIND / 1000mm / Black / Yellow

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

### Tests

#### Safety Test:

According to the national standards CNS 4797-4797-3, 4798, 4798-1-3, 4798-10-37

Meets the safety requirements of construction.

Meets the safety requirements of non-flammability.

Meets the safety requirements of toxicology (no heavy metal and no toluene):

#### Fire Tests:

Meets the requirement of the UL 94 HBF, Horizontal Burning Foamed Material Test, and EN 71 Part 2:

### Health and Safety

For further information on health and safety requirements please contact the technical team  
on: tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

### Installation

For further information on installation please see the installation sheet or contact the technical team  
on: tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.