ASTROFLAME
PASSIVE FIRE STOP SYSTEMS

Installation Sheet

FingerKeeper Rearguard

Revision 1 - 29th June 2026

Astroflame (Fireseals) LTD : Unit 8 , I.O Centre : Stephenson Road : Segensworth : Fareham : PO15 5RU
T - **01329 844500** : W - **www.astroflame.com** : E - **sales@astroflame.com**

Finger Keeper Commercial

Tools & Equipment

- Measuring Block
- Carpenters Pencil
- Hacksaw
- Screw Driver

Introduction

The fingerkeeper rear hinge device prevents finger trapping accidents by totally covering the gap that is created on the rear hinge side of a door when it is in the open position. The rear hinge guard device can be fitted most types of door including wood,metal and upvc The device is considered to be environmentally friendly.

Please read these instructions carefully before installing and using the device. The protective function and any possible guarantee of the device might be affected if you do not follow the instructions. Pass the instructions to the end user for future reference.

WARNING – REPLACE THE DEVICE IF ANY PART IS BROKEN, TORN OR MISSING

Installation

Please note: Check condition of door, ie hinges, its vertical plumbness etc. If in poor condition please call us before fitting. As 95% of doors are two metres high Fingerkeeper Rearguard is cut to 1.960 metres in length making cutting a very rare requirement during fitting. If you need to cut to size ensure the fingerkeeper Rearguard is not more than 20mm short of the door top or bottom, unless fitting for toddlers only, ensure no more than 20mm from the bottom.



1. With the door in the closed position, use a pencil/pen to draw a guideline on the door frame using the 30mm plastic measuring block (provided).



2. Simply repeat the procedure on the door to produce a second guideline.



3. Remove the protective coating from the tape.

Installation



4. Line up the edge of the FingerKeeper Rearguard parallel to the guideline/pencil line on the frame. Press firmly to hold in position before finally securing with the screws (provided). The screws should be fitted at approximately 300mm centres.



5. Please ensure you use the screws provided or an exactly matching size and type of screw.

Storage and disposal

FingerKeeper Rearguard should be stored indoors. No shelf life is given as this product will not deteriorate in storage. For further information on installation requirements please contact the technical team on: tel 01329 844 500 or email sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.