


Product Data Sheet

Astro FR Door Viewer

Revision 3 - January 2019



Astro FR Door Viewer

Fire Rated Door Viewer

- Fire Rated Door Viewer.
- Tested to BS476 part 22 : 1987 60 mins.
- Tested to EN1634-1 30 min.
- Solid brass with Pyrex lenses.
- Suits 35mm - 55mm thickness doors.
- 120 degree viewing angle.
- Brass or Chrome finish.



Product Description

The Astroflame Fire Rated Door Viewer is suitable for standard size thicknesses of 35mm - 55mm and is fire rated for 60 minutes.

Offering 120 degree view and made from solid brass with 3 Pyrex glass lenses with a 14mm barrel.

Conforms to DHF TS002 : 2009 Specification.

Product Availability

Product Code	Product Description	Colour
AFDV14B	Astro FR Door Viewer	Brass
AFDV14C	Astro FR Door Viewer	Chrome

To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Colour
Typical example:- 6 / AFDV14B / Astro FR Door Viewer / Brass

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

Fire Test or Assessment Reports

- DHF TS002 : 2009 (Door Hardware Federation Test Standard 02)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.