

# Product Data Sheet

## Astro FS Block



Revision 4 - December 2018



## Astro FS Block

### Fire Stop Block

- Tested to BS EN 1363-1:1999 for up to 2 hours
- Compressible material for simpler installation
- Only min. 10% compression required
- Can be cut to any required length(s).
- Red coating provides easy recognition
- Easy to add and remove
- Square edges are easy to stack
- No overlapping required - lower cost
- Can be installed from one side



#### Product Description

Fire Stop Block is a unique, compressible and fully intumescent alternative to fire pillows.

FS Block can be supplied in up to 1 metre lengths and can be cut to size on site. This ensures maximum flexibility and minimum wastage.

The material can be installed within and around various electrical penetrations and provides up to 120 minutes fire rating.

### Product Availability

Available in 1 metre lengths in any quantity.

Product Code	Product Description	Size
AFFSBLOCK	Astro FS Block	30x150x1000mm

### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size  
Typical example:- 10 / AFFSBLOCK / Astro FS Block / 30x150x1000mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

### Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
or E: [sales@astroflame.com](mailto:sales@astroflame.com)

### Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
or E: [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.